R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. (9-14)	DAY	YEAR	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	3331	040	11	08	77	12AX	3253	7804

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0070	27	27	25	010	Y	NW	05

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	CL	SA	L	FT	070	—	14	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00006	0000	0000	00027

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3#6	3#1			PO	DO
START	32°53'	78°04'	3243	4777	70		1412	1415
							PU	ON
FINISH	32°52'	78°03'	5236	4764	84		1445	1452

LENGTH WARP	SHAFT RPM	PITCH	GEAR DATA:
200	1300/2 S	50	

SPECIAL MODIFICATIONS

Recorded on Sinred

OPERATIONAL COMMENTS

12AX - SE Quadrant

OBSERVATIONS

Squid - dominate species by weight

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore333100unse

FIN CRUST SHELL OTHER
6.1 0 0 27.0

12-4, SE

R/V DAN MOORE SPECIES LIST

STA. NO. 3331 DATE Nov 8 1977 BIOLOGISTS BFW SAS STWS

TOT. CATCH WT. 33.1 AIR 25.0°C SURFACE 80.0°F BOTTOM 80.6°F

SAMPLE WT. 33.1 RAISING FACTOR 0

		SUBSAMPLE		TOTAL			
SPECIES	C or NC	NUMBER	WEIGHT	NO.	WT.	$\bar{X}$ WT	REMARKS
Lolige pealei	C			234	27.0	0.1	
Pagurus [illegible]				1	0.8	0.8	
Parachaetopterus [illegible]				1	0.5	0.5	
Bolocera sp.				4	0.5	0.1	damaged
Renilla sp.				1	0.5	0.5	damaged
Trachinocephalus myops				6	1.5	0.3	
[illegible]				2	1.8	0.9	[illegible] 2
Unciola [illegible]				4	0.4	0.1	
Oyceceplalus sp.				1	0.1	0.1	scales 1